

ThredOn® Heavy DC

Safety Data Sheet

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Identification of the substance or mixture

Product Name: ThredOn® Heavy DC
Product Use: Thread compound, lubricant
Manufacturer: South Coast Products
20 Southbelt Industrial Dr
Houston, TX 77047 USA
Emergency telephone number: +1 813 248 0585, 24 hours
Refer to code 0306

E-mail address for questions regarding this SDS: janer@socousa.com

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

GHS Classification

Acute oral toxicity	Category 4
Acute inhalation toxicity – dust-mist	Category 4
Reproductive toxicity	Category 1A
Specific target organ systemic toxicity (repeated exposure)	Category 1
Acute aquatic toxicity	Category 1
Chronic aquatic toxicity	Category 1

GHS label elements



Signal Word:

Danger

Hazard statements:

H302 – Harmful if swallowed

H332 – Harmful if inhaled

H360Df – May damage the unborn child. Suspected of damaging fertility.

H372 – Causes damage to organs through prolonged or repeated exposure

H410 – Very toxic to aquatic life with long lasting effects

Precautionary statements:

ThredOn® Heavy DC

Safety Data Sheet



P201 – Obtain special instructions before use
P264 – Wash hands thoroughly after handling
P270 – Do not eat, drink or smoke when using this product
P271 – Use only outdoors in a well-ventilated area
P273 – Avoid release to the environment
P281 – Use personal protective equipment as required
P308+P313 – If exposed or concerned: Get medical attention
P405 – Store locked up

Classification (EU Directives 1999/45/EC or 67/548/EEC)

Repr. Cat. 1; R61 – Repr. Cat. 3; R62 – Xn; R20/22 - R33 – N; R50/53

Other hazards: High pressure injection under skin is a medical emergency.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	EC no.	CAS no.	Weight %	Classification (67/548/EEC)	Classification (1272/2008/EC)
Lead	231-100-4	7439-92-1	50-75	Xn; R20/22 – R33 N; R50/53 Repr. Cat. 1; R61 Repr. Cat. 1; R62	Acute Tox. 4 H302 Repr. 1A H360Df STOT RE 1 H372 Acute Tox. 4 H332 Aquatic Acute 1 H400 Aquatic Chronic 1 H410

4. FIRST AID MEASURES

General: If exposed or concerned, get medical attention or advice.
Inhalation: Move exposed person to fresh air. Get medical attention if symptoms occur. No symptoms expected.
Ingestion: Wash out mouth with water. Do not induce vomiting unless instructed to by medical personnel. Get medical attention if nausea or stomach pains occur.
Skin contact: Remove contaminated clothing and shoes. Wash skin with soap and water. Get medical attention if irritation symptoms occur. High pressure injection under skin is a medical emergency.
Eye contact: Check for and remove any contact lenses. Immediately flush eyes with running water for at least 5 minutes, keeping eyelids open. Get medical attention if redness or irritation persists.

5. FIRE-FIGHTING MEASURES

Suitable media: Use dry chemical, CO₂, water spray (fog) or foam.

ThredOn® Heavy DC

Safety Data Sheet



Not suitable: Do not use water jet.

Combustion products: Carbon monoxide, carbon dioxide, products of incomplete hydrocarbon combustion, lead oxides, zinc oxides.

Special protective equipment for fire-fighters: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus with a full face-piece operated in positive pressure mode.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Wear appropriate personal protection equipment (see section 8).

Environmental precautions: Recover free product. Use suitable oil adsorbent and dispose of material in accordance with all regulations. Keep product out of sewers and watercourses, prevent soil penetration. Advise authorities if large amounts of product enters waterways or extensive land areas.

7. HANDLING AND STORAGE

Handling: Wear appropriate personal protection equipment (see section 8). Do not eat, drink or smoke when using. Wash thoroughly after handling. Follow good hygiene and housekeeping practices.

Storage: Store in cool dry area in original or equivalent container in accordance with all regulations. Do not expose to extreme heat or flame. Store below 65°C, away from strong oxidizers and acids.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters:

Chemical name	CAS no.	Control parameter	Basis
Lead	7439-92-1	TWA: 0.05 mg/m ³	ACGIH TLV

Engineering controls: Use with adequate ventilation.

Eye/face protection: Safety glasses. Ensure eye bath is to hand.

Hand protection: Protective gloves if prolonged or repeated contact is unavoidable.

Skin protection: No additional protection required beyond normal industrial attire is required.

Respiratory protection: No special measures required.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance and odor: Black semi-solid, mild odor

pH: Not applicable, insoluble in water

Flash point: >200°C (Cleveland open cup)

Evaporation rate: No data

Upper flammability limit: Not applicable

Lower flammability limit: Not applicable

Vapor pressure: No data

ThredOn® Heavy DC

Safety Data Sheet



Vapor density: No data
Relative density: 2.6
Solubility: Insoluble in water, soluble in alcohols and petroleum distillates
Viscosity: Cone penetration 300-330 (ASTM D217)

10. STABILITY AND REACTIVITY

Chemical stability: Stable
Conditions to avoid: Extreme heat
Incompatible materials: Strong oxidizers
Hazardous decomposition products: Harmful or flammable vapors, lead oxides, zinc oxides

11. TOXICOLOGICAL INFORMATION

Potential acute health effects

Acute toxicity:
Ingestion: Harmful if swallowed
Skin contact: No known effect
Inhalation: Harmful if inhaled, but not considered significant route of entry
Irritation: May cause mild redness and discomfort on contact with eyes
Corrosivity: Not corrosive

Potential chronic health effects

Sensitization: Not a sensitizer
Repeated dose toxicity: Repeated exposure may cause drying of skin from loss of skin oils
Carcinogenicity: No ingredients listed as carcinogens
Mutagenicity: Not mutagenic
Reproductive toxicity: May damage the unborn child. Suspected of damaging fertility.
STOT repeated exposure: May causes damage to organs (central nervous system, reproductive system) through prolonged or repeated exposure

12. ECOLOGICAL INFORMATION

Ecotoxicity: Very toxic to aquatic life with long lasting effects

Chemical name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia
Lead		Ciprinus carpio, 96h, LC50: 0.44 mg/L Oncorhynchus mykiss, 96h, LC50: 1.17 mg/L Oncorhynchus mykiss, 96h, LC50: 1.32 mg/L	Daphnia magna, 48h, EC50: 600 µg/L

Persistence/degradability: No information available
Mobility: No information available
Other adverse effects: No information available

ThredOn® Heavy DC

Safety Data Sheet



13. DISPOSAL CONSIDERATIONS

Waste disposal: Generation of waste should be avoided or minimized where possible. Empty containers may contain residue. Dispose of as hazardous waste via licensed waste disposal operator. Follow all applicable regulations.

14. TRANSPORT INFORMATION

Transport information according to US DOT

UN number: UN3077
Proper shipping name: RQ, Environmentally hazardous substance, solid, n.o.s. (lead)
Hazard class: Class 9
Packing group: PGIII

Transport information according to ADR, RID, ADN, IMDG, ICAO, IATA

UN number: UN3077
Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (lead)
Hazard class: Class 9
Packing group: PGIII
Additional information: Marine pollutant

15. REGULATORY INFORMATION

US Regulations

SARA 302 Components: Chemicals in this material that are subject to the reporting requirements of SARA Title II, Section 302: Lead, CAS-No. 7439-92-1

SARA 313 Components: Lead, CAS-No. 7439-92-1

SARA 311/312 Hazards: Acute health hazard, chronic health hazard

State Regulations

California Prop 65: WARNING! This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm (lead and lead compounds).

United States inventory (TSCA): All ingredients listed or exempt.

Massachusetts Right to Know: Lead, CAS-No. 7439-92-1; zinc, CAS-No. 7440-66-6; copper, CAS-no. 7440-50-8

Pennsylvania Right to Know: Lead, CAS-No. 7439-92-1; zinc, CAS-No. 7440-66-6; copper, CAS-no. 7440-50-8

New Jersey Right to Know: Lead, CAS-No. 7439-92-1; zinc, CAS-No. 7440-66-6; copper, CAS-no. 7440-50-8

International regulations

Canada: WHMIS Classification: D2A. **WHMIS:** This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. **Canada Domestic**

Substances List: All ingredients listed or exempt.

Europe inventory (EINECS): All ingredients listed or exempt.

Australia inventory (AICS): All ingredients listed or exempt.

ThredOn® Heavy DC Safety Data Sheet



China inventory (IECSC): All ingredients listed or exempt.

Philippines inventory (PICCS): All ingredients listed or exempt.

16. OTHER INFORMATION

Revision information: Rev 1: changed Section 14. Rev 2: added information to Section 15. Rev 3: revised product name. Rev 4: revised email address, revised composition percentages

END OF SAFETY DATA SHEET