



# Chemola™ Desco Silicone Pak Extra

## Extreme Service Injectable Packing

**Chemola™ Desco Silicone Pak Extra** is a synthetic silicone-graphite sealant/packing formulated for applications with extreme temperature differentials where minimal thermal expansion is required. It can be used to energize seals and repair damaged seals.

### Recommended Uses

Aliphatic hydrocarbons, crude distillates, crude oil, diesel fuel, hydrocarbon liquids, LPG, sour gas, sour crude, water (not potable), steam, mild acids and caustics

### Typical Characteristics

Appearance	Black
NLGI	6
Penetration (ASTM D217)	90-120
Base Oil	Silicone oil
Base Oil Viscosity	60,000 cSt at 25°C
Base Oil Pour Point	-40°F (-40°C)
Solids Content	Graphite, synthetic fibers
Specific Gravity	1.5
Density (lb/gal)	12.5
Dropping Point (ASTM D566)	>500°F (260°C)
Flash Point	>500°F (260°C)
Temperature Range	-70°F to 600°F (-56°C to 316°C)

### Packaging Information

Item Number	Unit Size	Quantity
0405016LT	1 1/2" x 18"	16 per box
040516JBX	"J" stick 1-3/8" x 8-1/2"	16 per box

**DO NOT USE ON OXYGEN SERVICE.**  
*Special packaging sizing available upon request.*

# SOUTH COAST PRODUCTS

P.O. Box 450109 Houston, Texas 77245 [www.socousa.com](http://www.socousa.com)  
Tel: (713) 225-0048 (800) 535-5823 [custserv@socousa.com](mailto:custserv@socousa.com)

# Premium