

Temperature Ranges are in Fahrenheit	-300° to 700°	-300° to 550°	-300° to 800°	-300° to 700°	-300° to 450°	-300° to 800°	-300° to 1500°	-300° to 500°	-300° to 600°	-300° to 275°	-300° to 400°	-300° to 400°	40° to 300°	-300° to 450°	-300° to 700°	-300° to 750°	-300° to 1200°	-300° to 400°	-300° to 500°	
	3B	4AB	6B	9R	8AB	9B	9F	11	17	20	22 T	22	42	55 R	HTS	357P	RPG	45P	38P	
CHECK SEAL SEALANT #'s																				
ACETALDYHYDE	X	X	X	X		X	X	X	X	X	X	X			X	X	X	X	X	X
ACETIC ACID	X	X	X								X	X			X	X	X	X	X	X
ACETIC ACID GLACIAL	X	X	X		X			X	X	X	X	X	X	X	X	X	X	X	X	X
ACETIC ACID HOT	X	X	X												X		X	X	X	X
ACETIC ANHYDRIDE	X	X	X					X	X	X					X	X	X	X	X	X
ACETONE	X	X	X							X	X	X			X	X	X	X	X	X
ACETONITRILE	X	X	X	X		X	X	X	X		X	X			X	X	X	X	X	X
ACETOPHENONE	X	X	X	X		X	X	X	X		X	X			X		X	X	X	X
ACETYLENE	X	X	X		X			X	X		X	X	X	X	X	X	X	X	X	X
ACID GAS	X	X	X	X		X	X	X	X		X	X			X		X	X	X	X
ACRYLIC ACID	X	X	X					X	X		X	X			X		X	X	X	X
ACRYLONITRILE	X	X	X	X		X	X	X	X		X	X			X	X	X	X	X	X
AIR	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
ALDEHYDES	X		X								X	X			X		X	X	X	X
ALIPHATIC AMINES	X	X	X	X		X	X	X	X		X	X			X		X	X	X	X
ALKYLATE	X	X	X	X		X	X	X	X						X	X	X	X	X	X
ALLYL CHLORIDE	X	X	X	X		X	X	X	X		X	X			X		X	X	X	X
ALUMINIUM SODIUM DIOXIDE	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
ALUMINUM BROMIDE	X	X	X					X	X		X	X			X		X	X	X	X
ALUMINUM CHLORIDE	X	X	X					X			X	X			X	X	X	X	X	X
AMINES	X	X	X	X		X	X	X	X		X	X			X		X	X	X	X
AMMONIA ACETATE		X	X	X	X	X	X	X	X		X	X	X	X	X	X	X	X	X	X
AMMONIA ANHYDROUS	X	X	X	X	X	X	X	X	X		X	X	X	X	X	X	X	X	X	X
AMMONIA GAS COLD	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
AMMONIA GAS HOT		X	X	X		X	X	X	X						X		X	X	X	X
AMMONIUM NITRATE					X						X	X	X	X				X		
AMMONIUM NITRITE		X			X			X			X	X	X	X				X		
AMMONIUM SULFATE	X		X	X	X	X	X				X	X	X	X	X		X	X	X	X
AMMONIUM SULFIDE	X	X	X	X	X	X	X	X			X	X	X	X	X		X	X	X	X
AMMONIUM SULFITE	X	X	X	X	X	X	X	X	X		X	X	X	X	X		X	X	X	X
ANILINE	X	X	X	X		X	X	X	X		X	X			X	X	X	X	X	X

Temperature Ranges are in Fahrenheit	-300° to 700°	-300° to 550°	-300° to 800°	-300° to 700°	-300° to 450°	-300° to 800°	-300° to 1500°	-300° to 500°	-300° to 600°	-300° to 275°	-300° to 400°	-300° to 400°	40° to 300°	-300° to 450°	-300° to 700°	-300° to 750°	-300° to 1200°	-300° to 400°	-300° to 500°	
	3B	4AB	6B	9R	8AB	9B	9F	11	17	20	22 T	22	42	55 R	HTS	357P	RPG	45P	38P	
CHECK SEAL SEALANT #'s																				
ANONE	X	X	X	X		X	X	X	X		X	X			X		X	X	X	
ARCOL POLYOL	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
ARGON	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		X	X	X	
ASPHALT	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
BENZENE		X	X	X		X	X	X	X						X		X	X	X	
BENZENE SULFONIC ACID		X	X	X		X	X	X							X			X	X	
BLACK LIQUOR	X	X	X					X	X						X	X	X	X	X	
BLEACH	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
BOILER FEED WATER	X	X	X	X	X	X	X	X	X		X	X	X	X	X	X	X	X	X	X
BORIC ACID	X	X	X	X	X	X	X	X	X		X	X	X	X	X	X	X	X	X	X
BORMIC ACID											X	X						X	X	
BORON TRIFLOURIDE METHANOL	X	X						X	X		X	X					X	X		
BRINE	X	X	X	X	X	X	X	X	X		X	X	X	X	X	X	X	X	X	X
BROMINE GAS										X	X	X						X		
BROMINE WET			X							X					X		X	X	X	
BUNKER OIL	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
BUTADIENE	X	X	X	X		X	X	X	X		X	X			X	X	X	X	X	X
BUTANE	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
BUTANOL (BUTYLALCOHOL)	X	X	X	X	X	X	X		X	X	X	X	X	X	X	X	X	X	X	X
BUTANONE	X		X	X		X	X				X	X			X		X	X	X	
BUTYL ACETATE	X	X	X	X		X	X	X	X		X	X			X		X	X	X	
BUTYL ACRYLATE	X	X	X	X		X	X	X	X	X	X	X			X		X	X	X	
BUTYL ALCOHOL (BUTANOL)	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
CALCHIE LIQUOR	X	X	X		X			X	X	X	X	X	X	X	X	X	X	X	X	X
CALCIUM CHLORATE	X	X	X	X	X	X	X	X	X		X	X	X	X	X	X	X	X	X	X
CALCIUM HYDROXIDE	X		X		X						X	X	X	X	X	X	X	X	X	X
CALCIUM NITRATE	X	X	X		X			X	X	X	X	X	X	X	X			X	X	
CARBAMATE	X	X	X	X		X	X	X	X	X	X	X			X	X	X	X	X	X
CARBAMIC ACID	X	X	X	X		X	X	X	X						X		X	X	X	X
CARBAMIDE	X	X	X	X		X	X	X	X		X	X			X		X	X	X	X
CARBOLIC ACID	X	X	X					X	X		X	X			X		X	X	X	X

Temperature Ranges are in Fahrenheit	-30° to 70°	-30° to 55°	-30° to 80°	-30° to 70°	-30° to 45°	-30° to 80°	-30° to 150°	-30° to 50°	-30° to 60°	-30° to 275°	-30° to 40°	-30° to 40°	40° to 300°	-30° to 45°	-30° to 70°	-30° to 75°	-30° to 1200°	-30° to 40°	-30° to 50°
	3B	4AB	6B	9R	8AB	9B	9F	11	17	20	22 T	22	42	55 R	HTS	357P	RPG	45P	38P
CARBON DIOXIDE	X	X	X	X		X	X	X	X		X	X			X		X	X	X
CARBON DISULFIDE	X	X	X	X		X	X	X	X	X	X	X			X		X	X	X
CARBON MONOXIDE	X	X	X	X	X	X	X	X	X		X	X	X	X	X	X	X	X	X
CARBON TETRACHLORIDE	X	X	X		X			X	X		X	X	X	X	X		X	X	X
CARBONIC ACID	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		X	X	X
CATALYST				X		X	X				X	X							X
CAUSTIC (SODA)	X	X		X		X	X	X	X		X	X				X	X	X	
CHLORIDES	X	X	X	X		X	X	X	X						X	X	X	X	X
CHLORINATED HYDROCARBONS	X	X	X					X	X						X	X	X	X	X
CHLORINATED SALT BRINE	X	X	X	X		X	X	X	X						X		X	X	X
CHLORINE (100%)																	X	X	
CHLORINE WATER	X	X						X	X								X	X	
CHLOROBENZENE		X	X					X	X						X	X	X	X	X
CHLOROFORM		X	X					X	X						X		X	X	X
CHLOROTHALONIL	X	X	X	X		X	X	X	X		X	X			X	X	X	X	X
CHROMIC ACID		X						X	X									X	
CHROMINUM COMPOUNDS		X						X	X									X	
CHROMIUM								X	X									X	
CITRIC ACID	X	X	X	X	X	X	X	X	X		X	X	X	X	X		X	X	X
COAL TAR	X	X	X	X	X	X	X	X	X		X	X	X	X	X	X	X	X	X
CONDENSATE	X	X	X	X	X	X	X	X	X		X	X	X	X	X	X	X	X	X
CRESOL	X	X	X					X	X		X	X			X	X	X	X	X
CRUDE OIL	X	X	X	X	X	X	X	X	X		X	X	X	X	X	X	X	X	X
CUMENE	X	X	X	X		X	X	X	X	X	X	X			X	X	X	X	X
CYANIDES-SOLUTIONS	X	X		X	X	X	X	X	X		X	X	X	X		X		X	
CYANURIC CHLORIDE											X	X							
CYCLOHEXANE	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		X	X	X
CYCLOHEXANOL	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		X	X	X
CYCLOHEXANONE	X	X	X	X		X	X	X	X		X	X			X		X	X	X
CYCLOHEXYLISOCYANATE		X						X	X									X	
CYMENE				X		X	X				X	X							

Temperature Ranges are in Fahrenheit	-300° to 700°	-300° to 550°	-300° to 800°	-300° to 700°	-300° to 450°	-300° to 800°	-300° to 1500°	-300° to 500°	-300° to 600°	-300° to 275°	-300° to 400°	-300° to 400°	40° to 300°	-300° to 450°	-300° to 700°	-300° to 750°	-300° to 1200°	-300° to 400°	-300° to 500°	
	3B	4AB	6B	9R	8AB	9B	9F	11	17	20	22 T	22	42	55 R	HTS	357P	RPG	45P	38P	
CHECK SEAL SEALANT #'s																				
DENATURED ALCOHOL	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
DIAMINE	X	X	X					X	X						X		X	X	X	X
DIAMINODIPHENYLMETHANE	X	X	X	X		X	X	X	X		X	X			X	X	X	X	X	X
DICHLOROBENZENE		X	X					X	X	X	X	X			X		X	X	X	X
DICHLOROETHYLENE		X	X					X	X		X	X			X		X	X	X	X
DICHLOROMETHANE (DCM)		X	X	X		X	X	X	X		X	X			X		X	X	X	X
DICHLOROPROPANE	X	X	X					X	X						X	X	X	X	X	X
DIESEL FUEL	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		X	X	X	X
DIESEL OIL	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
DIETHANOLAMINE	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
DIMETHYLFORMAMIDE	X	X	X	X		X	X	X	X		X	X			X		X	X	X	X
DINITROTOLUENE 2,4	X	X	X	X		X	X	X	X		X	X			X			X	X	X
DINITROTOLUENE 2,6	X	X	X	X		X	X	X	X		X	X			X			X	X	X
DOWTHERM E	X	X	X					X	X		X	X			X	X	X	X	X	X
DOWTHERM J		X	X	X		X	X	X	X		X	X			X	X	X	X	X	X
DOWTHERM A		X	X	X		X	X	X	X		X	X			X	X	X	X	X	X
DUSOPROPANOLAMINE	X	X	X	X		X	X	X	X						X		X	X	X	X
EBHP OXIDATE	X	X						X	X		X	X						X		
ETHANE	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
ETHANOL	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
ETHERS	X	X	X	X		X	X	X	X	X	X	X			X		X	X	X	X
ETHYL ACETATE	X	X	X	X		X	X	X	X	X	X	X			X	X	X	X	X	X
ETHYL ACRYLATE	X	X	X	X		X	X	X	X	X	X	X			X		X	X	X	X
ETHYL ALCOHOL	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		X	X	X	X
ETHYL BENZENE		X	X	X		X	X	X	X		X	X			X	X	X	X	X	X
ETHYL BROMIDE	X	X	X	X	X	X	X	X	X		X	X	X	X	X		X	X	X	X
ETHYL CHLORIDE		X	X	X	X	X	X	X	X		X	X	X	X	X		X	X	X	X
ETHYL ETHER	X	X	X	X		X	X	X	X	X	X	X			X	X	X	X	X	X
ETHYL SILICATE	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
ETHYL SULFATE																X	X			
ETHYLENE	X	X	X	X		X	X	X	X		X	X			X	X	X	X	X	X

Temperature Ranges are in Fahrenheit	-300° to 700°	-300° to 550°	-300° to 800°	-300° to 700°	-300° to 450°	-300° to 800°	-300° to 1500°	-300° to 500°	-300° to 600°	-300° to 275°	-300° to 400°	-300° to 400°	40° to 300°	-300° to 450°	-300° to 700°	-300° to 750°	-300° to 1200°	-300° to 400°	-300° to 500°	
	3B	4AB	6B	9R	8AB	9B	9F	11	17	20	22 T	22	42	55 R	HTS	357P	RPG	45P	38P	
CHECK SEAL SEALANT #'s																				
ETHYLENE DIBROMIDE	X	X	X	X		X	X	X	X		X	X			X		X	X	X	
ETHYLENE DICHLORIDE		X	X	X		X	X	X	X		X	X			X		X	X	X	
ETHYLENE GLYCOL	X	X	X	X	X	X	X	X	X		X	X	X	X	X		X	X	X	
ETHYLENE OXIDE	X	X	X	X		X	X	X	X		X	X			X		X	X	X	
ETHYLENEDIAMINE	X	X	X	X		X	X	X	X		X	X			X		X	X	X	
FATTY ACIDS	X	X	X	X	X	X	X	X	X		X	X	X	X	X	X	X	X	X	
FATTY AMINES	X	X	X	X		X	X	X	X		X	X			X		X	X	X	
FERRIC CHLORIDES		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
FLU GAS	X	X	X	X		X	X	X	X		X	X			X	X	X	X	X	
FLUOBORIC ACID	X	X	X		X			X	X		X	X	X	X	X		X	X	X	
FLUORINE											X	X	X					X		
FORMALDEHYDE	X	X		X		X	X	X	X	X	X	X			X	X	X	X		
FORMALIN	X	X		X		X	X	X	X		X	X					X	X		
FORMIC ACID	X	X		X		X	X	X	X		X	X				X	X	X		
FREON (11-14)	X	X		X	X	X	X	X	X	X	X	X	X	X			X	X		
FUEL OIL	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
FUMING SULFURIC ACID																		X		
FURFURAL	X	X		X		X	X	X	X		X	X				X	X	X		
FURFURAL ALCOHOL	X	X	X	X		X	X	X	X		X	X			X	X	X	X	X	
FURFURAN	X	X	X	X		X	X	X	X						X	X	X	X	X	
FUSEL OIL											X	X				X	X			
GALLIC ACID	X	X	X	X	X	X	X	X	X		X	X	X	X	X	X	X	X	X	
GAS - PROCESS	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
GASOLINE	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
GLYCOL	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		X	X	X	
GREEN LIQUOR	X	X	X	X	X	X	X	X	X		X	X	X	X	X		X	X	X	
HELIUM	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		X	X	X	
HEPTANE	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		X	X	X	
HEXANE	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		X	X	X	
HI-TEC SALT																				
HOT OIL	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	

Temperature Ranges are in Fahrenheit	-300° to 700°	-300° to 550°	-300° to 800°	-300° to 700°	-300° to 450°	-300° to 800°	-300° to 1500°	-300° to 500°	-300° to 600°	-300° to 275°	-300° to 400°	-300° to 400°	40° to 300°	-300° to 450°	-300° to 700°	-300° to 750°	-300° to 1200°	-300° to 400°	-300° to 500°	
	3B	4AB	6B	9R	8AB	9B	9F	11	17	20	22 T	22	42	55 R	HTS	357P	RPG	45P	38P	
CHECK SEAL SEALANT #'s																				
HOT SALT		X			X			X	X	X	X	X	X	X		X		X		
HYDRAZINE	X	X	X		X			X	X		X	X	X	X	X		X	X	X	X
HYDRIDES	X	X	X					X	X		X	X			X		X	X	X	X
HYDROBROMIC ACID	X	X	X					X	X		X	X			X		X	X	X	X
HYDROCHLORIC ACID	X	X	X	X		X	X	X	X		X	X			X		X	X	X	X
HYDROFLUORIC ACID	X	X						X	X		X	X					X	X		
HYDROGEN	X	X	X	X	X	X	X	X	X		X	X	X	X	X	X	X	X	X	X
HYDROGEN CHLORIDE	X	X	X	X		X	X	X	X		X	X			X		X	X	X	X
HYDROGEN FLUORIDE																	X	X		
HYDROGEN PEROXIDE	X	X			X			X	X		X	X	X	X				X		
HYDROGEN SULFIDE COLD	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		X	X	X	X
HYDROGEN SULFIDE HOT	X	X	X	X		X	X	X	X	X					X		X	X	X	X
IODINE			X		X						X	X	X	X	X		X	X	X	X
ISOAMYL ACETATE	X	X	X	X		X	X	X	X		X	X			X		X	X	X	X
ISOBUTANE	X	X	X	X	X	X	X	X	X		X	X	X	X	X	X	X	X	X	X
ISOBUTYL ACETATE	X	X	X	X		X	X	X	X		X	X			X		X	X	X	X
ISOBUTYL ALCOHOL	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		X	X	X	X
ISOBUTYLENE	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
ISOHEXANE	X	X	X	X	X	X	X	X	X		X	X	X	X	X	X	X	X	X	X
ISO-OCTANE	X	X	X	X		X	X	X	X						X	X	X	X	X	G
ISOPRENE	X	X	X	X		X	X	X	X		X	X			X	X	X	X	X	X
ISOPROPANOL (ALCOHOL)	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		X	X	X	X
ISOPROPYL CHLORIDE	X	X	X	X		X	X	X	X		X	X			X		X	X	X	X
ISOPROPYL ACETATE	X	X	X	X		X	X	X	X	X	X	X			X		X	X	X	X
ISOPROPYL ALCOHOL	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		X	X	X	X
ISOPROPYL ETHER	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		X	X	X	X
JET FUEL	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
KEROSENE	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
KETONES	X	X	X	X		X	X	X	X		X	X			X		X	X	X	X
KRAFT LIQUOR	X	X						X	X									X		
LATIC ACID COLD	X	X	X	X	X	X	X	X	X		X	X	X	X	X		X	X	X	X

Temperature Ranges are in Fahrenheit	-300° to 700°	-300° to 550°	-300° to 800°	-300° to 700°	-300° to 450°	-300° to 800°	-300° to 1500°	-300° to 500°	-300° to 600°	-300° to 275°	-300° to 400°	-300° to 400°	40° to 300°	-300° to 450°	-300° to 700°	-300° to 750°	-300° to 1200°	-300° to 400°	-300° to 500°	
	3B	4AB	6B	9R	8AB	9B	9F	11	17	20	22 T	22	42	55 R	HTS	357P	RPG	45P	38P	
CHECK SEAL SEALANT #'s																				
LEAD ACETATE	X	X	X		X			X	X		X	X	X	X	X	X	X	X	X	X
LEAD COMPOUNDS	X	X	X	X		X	X	X	X		X	X			X	X	X	X	X	X
LEAD TETRAETHYL	X	X	X					X			X	X			X		X	X	X	X
LIGHT NAPHTHAS	X	X	X	X		X	X	X	X		X	X			X	X	X	X	X	X
LINSEED OIL	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		X	X	X	X
m - XYLENE	X	X	X	X		X	X	X	X	X	X	X			X	X	X	X	X	X
MALEIC ACID	X	X	X	X		X	X	X	X	X	X	X			X	X	X	X	X	X
MALIC ACID	X	X	X	X	X	X	X	X	X		X	X	X	X	X		X	X	X	X
MBA	X	X	X	X		X	X	X	X		X	X			X		X	X	X	X
M-CRESOL	X	X	X	X		X	X	X	X		X	X			X	X	X	X	X	X
MELAMINE	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		X	X	X	X
METHANE	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
METHANOL	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		X	X	X	X
METHYL ACETATE	X	X	X	X		X	X	X	X	X	X	X			X		X	X	X	X
METHYL ACRYLATE	X	X	X	X		X	X	X	X	X	X	X			X		X	X	X	X
METHYL ALCOHOL	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		X	X	X	X
METHYL BENZENE	X	X	X	X		X	X	X	X		X	X			X		X	X	X	X
METHYL BROMIDE		X	X	X	X	X	X	X	X		X	X	X	X	X		X	X	X	X
METHYL CHLORIDE		X	X	X		X	X	X	X						X	X	X	X	X	X
METHYL PYRROLIDINE (n)	X	X	X	X		X	X	X	X		X	X			X		X	X	X	X
METHYL SILICATE	X	X	X	X		X	X	X	X		X	X			X		X	X	X	X
METHYLENE KEYTONE	X	X	X	X		X	X	X	X		X	X			X		X	X	X	X
METHYLENEDIANILINE	X	X	X	X		X	X	X	X		X	X			X	X	X	X	X	X
METHYLETHANOLAMINE	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
METHYLETHYL KEYTONE	X	X	X	X		X	X	X	X	X	X	X			X		X	X	X	X
MINERAL OIL	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		X	X	X	X
MONOETHANOL AMINE	X	X	X	X		X	X	X	X		X	X			X		X	X	X	X
MTBE	X	X	X	X		X	X	X	X	X	X	X			X		X	X	X	X
MURIATIC ACID	X	X	X	X		X	X	X	X		X	X			X		X	X	X	X
NAPHTHA	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
NAPHTHALINE	X	X	X	X		X	X	X	X	X	X	X			X	X	X	X	X	X

Temperature Ranges are in Fahrenheit	-300° to 700°	-300° to 550°	-300° to 800°	-300° to 700°	-300° to 450°	-300° to 800°	-300° to 1500°	-300° to 500°	-300° to 600°	-300° to 275°	-300° to 400°	-300° to 400°	40° to 300°	-300° to 450°	-300° to 700°	-300° to 750°	-300° to 1200°	-300° to 400°	-300° to 500°	
	3B	4AB	6B	9R	8AB	9B	9F	11	17	20	22 T	22	42	55 R	HTS	357P	RPG	45P	38P	
CHECK SEAL SEALANT #'s																				
NAPHTHETIC ACID	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
NATURAL GAS	X	X	X	X	X	X	X		X	X	X	X	X	X	X	X	X	X	X	X
NICKEL SULFATE	X	X	X	X	X	X	X	X	X		X	X	X	X	X		X	X	X	X
NITRATES, N.O.S			X												X		X	X	X	X
NITRIC ACID	X	X						X	X		X	X							X	
NITRIC ACID (ANHYDROUS)		X																	X	
NITRIC ACID (FUMING)																			X	
NITRIC OXIDE	X	X	X					X	X		X	X			X	X	X	X	X	X
NITRIDES											X	X							X	
NITRITES	X	X	X					X	X		X	X			X		X	X	X	X
NITROCHLOROTOLUNE		X						X	X										X	
NITROGEN	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
NITROMETHANE	X	X	X	X		X	X	X	X		X	X			X		X	X	X	X
O - NITROANLINE	X	X	X	X		X	X	X	X						X		X	X	X	X
o - XYLENE	X	X	X	X		X	X	X	X						X	X	X	X	X	X
OCTANE	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
OIL GAS	X	X	X	X		X	X	X	X		X	X			X	X	X	X	X	X
OIL TAR	X	X	X	X		X	X	X	X		X	X			X	X	X	X	X	X
OIL-PETROLEUM	X	X	X	X	X	X	X	X	X		X	X	X	X	X	X	X	X	X	X
OLEFINS	X	X	X	X		X	X	X	X		X	X			X	X	X	X	X	X
OLEIC ACID	X	X	X	X		X	X	X	X		X	X			X	X	X	X	X	X
OLEUM (SULFURIC ACID)																			X	
ORGANIC HYDROCARBON SOL.	X	X	X	X		X	X	X	X		X	X			X	X	X	X	X	X
OXALIC ACID	X	X	X	X	X	X	X	X	X		X	X	X	X	X	X	X	X	X	X
OXYGEN																			X	
p - XYLENE	X	X	X	X		X	X	X	X						X	X	X	X	X	X
PAINT THINNER	X	X	X	X		X	X	X	X	X	X	X			X	X	X	X	X	X
PALMITIC ACID	X	X	X	X	X	X	X	X	X		X	X	X	X	X	X	X	X	X	X
PAPER STOCK	X	X	X	X		X	X	X	X		X	X			X		X	X	X	X
PARAFFIN WAX	X	X	X	X		X	X	X	X		X	X			X		X	X	X	X
PARAXYLENE	X	X	X	X		X	X	X	X	X	X	X			X	X	X	X	X	X



Temperature Ranges are in Fahrenheit	-30° to 70°	-30° to 55°	-30° to 80°	-30° to 70°	-30° to 45°	-30° to 80°	-30° to 150°	-30° to 50°	-30° to 60°	-30° to 275°	-30° to 40°	-30° to 40°	40° to 300°	-30° to 45°	-30° to 70°	-30° to 75°	-30° to 1200°	-30° to 40°	-30° to 50°
	3B	4AB	6B	9R	8AB	9B	9F	11	17	20	22 T	22	42	55 R	HTS	357P	RPG	45P	38P
P-CRESOL	X	X	X	X		X	X	X	X		X	X			X	X	X	X	X
PEANUT OIL	X	X	X	X	X	X	X	X	X		X	X	X	X	X		X	X	X
PENTANE	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
PENTANOL	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
PEROXIDES, INORGANIC	X	X						X	X										X
PEROXIDES, ORGANIC	X	X							X		X	X							X
PETROLEUM ASPHALT	X	X	X	X		X	X	X	X		X	X			X	X	X	X	X
PETROLEUM COKE	X	X	X	X		X	X	X	X		X	X			X		X	X	X
PETROLEUM NAPHTHA	X	X	X	X		X	X	X	X		X	X			X	X	X	X	X
PETROLEUM OILS	X	X	X	X	X	X	X	X	X		X	X	X	X	X	X	X	X	X
PETROLEUM PITCH	X	X	X	X	X	X	X	X	X		X	X	X	X	X		X	X	X
PETROLEUM SOLVENTS	X	X	X	X		X	X	X	X						X	X	X	X	X
PETROLEUM SPIRITS	X	X	X	X		X	X	X	X		X	X			X		X	X	X
PHENOL	X	X	X	X		X	X	X	X		X	X			X	X	X	X	X
PHENYL ETHYLENE	X	X	X	X		X	X	X	X		X	X			X		X	X	X
PHOSGENE	X	X	X	X		X	X	X	X		X	X			X		X	X	X
PHOSPHORIC ACID 50%		X	X		X			X	X		X	X	X	X	X		X	X	X
PHOSPHORIC ACID 85%		X	X		X			X	X		X	X	X	X	X		X	X	X
PHOSPHORUS	X	X	X					X	X		X	X			X		X	X	X
PHOSPHORUS TRICHLORIDE	X	X	X	X		X	X	X	X		X	X			X			X	X
PHTHALIC ANHYDRIDE	X	X	X	X		X	X	X	X		X	X			X		X	X	X
PHTHALIC ANHYDRIDE ACID	X	X	X	X		X	X	X	X						X		X	X	X
PHTHALONITRILE	X	X	X	X		X	X	X	X		X	X			X	X	X	X	X
POLYETHYLENE	X	X	X	X		X	X	X	X		X	X			X		X	X	X
POTASSIUM																			
POTASSIUM CARBONATE	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
POTASSIUM CHLORIDE	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
POTASSIUM HYDROXIDE	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		X	X	X
POTASSIUM IODIDE		X			X			X	X	X	X	X	X	X		X			
POTASSIUM NITRATE		X			X				X	X	X	X	X	X		X			X
POTASSIUM NITRIDE											X	X							

Temperature Ranges are in Fahrenheit	-300° to 700°	-300° to 550°	-300° to 800°	-300° to 700°	-300° to 450°	-300° to 800°	-300° to 1500°	-300° to 500°	-300° to 600°	-300° to 275°	-300° to 400°	-300° to 400°	40° to 300°	-300° to 450°	-300° to 700°	-300° to 750°	-300° to 1200°	-300° to 400°	-300° to 500°	
	3B	4AB	6B	9R	8AB	9B	9F	11	17	20	22 T	22	42	55 R	HTS	357P	RPG	45P	38P	
CHECK SEAL SEALANT #'s																				
POTASSIUM NITRITE											X	X							X	
POTASSIUM SALT		X			X			X	X	X	X	X	X	X		X				
POTASSIUM SULFATE	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
POTASSIUM SULFIDE	X	X	X		X			X	X	X	X	X	X	X	X		X	X	X	
PROPANE	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
PROPANE & H.F. ACID	X		X												X		X	X	X	
PROPANOL	X	X	X	X		X	X	X	X		X	X			X	X	X	X	X	X
PROPYL ALCOHOL	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
PROPYLENE	X	X	X	X		X	X	X	X	X	X	X			X	X	X	X	X	X
PROPYLENE OXIDE	X	X	X	X		X	X	X	X						X	X	X	X	X	X
PYROLYSIS GASOLINE	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
PYRROLIDONE	X	X	X	X		X	X	X	X		X	X			X		X	X	X	X
PYRROLIDONE 2	X	X	X	X		X	X	X	X		X	X			X		X	X	X	X
RAW GAS	X	X	X	X		X	X	X	X		X	X			X	X	X	X	X	X
RED OIL (COM. GRADE)	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
SALICYLIC ACID	X		X		X						X	X	X	X	X		X	X	X	
SALT WATER (SEA)	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
SALTPETER 100%											X	X							X	
SELECTO & STEAM	X	X	X	X		X	X	X	X		X	X			X		X	X	X	X
SILICA	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		X	X	X	X
SLUDGE ACID	X	X	X	X		X	X	X	X		X	X			X		X	X	X	X
SODIUM																X				
SODIUM BICARBONATE (WET)	X	X	X	X	X	X	X	X	X		X	X	X	X	X	X	X	X	X	X
SODIUM CHLORIDE (WET)	X	X	X	X	X	X	X	X	X		X	X	X	X	X	X	X	X	X	X
SODIUM CYANIDE (WET)	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
SODIUM HYDROXIDE (WET)	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
SODIUM HYPOCHLORITE	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
SODIUM NITRATE 100%					X						X	X	X	X					X	
SODIUM NITRITE											X	X							X	
SODIUM PHOSPHATE, DIBASIC	X	X	X	X	X	X	X	X	X		X	X	X	X	X	X	X	X	X	X
SODIUM PHOSPHATE, MONO	X	X	X	X	X	X	X	X	X		X	X	X	X	X	X	X	X	X	X

Temperature Ranges are in Fahrenheit	-300° to 700°	-300° to 550°	-300° to 800°	-300° to 700°	-300° to 450°	-300° to 800°	-300° to 1500°	-300° to 500°	-300° to 600°	-300° to 275°	-300° to 400°	-300° to 400°	40° to 300°	-300° to 450°	-300° to 700°	-300° to 750°	-300° to 1200°	-300° to 400°	-300° to 500°	
	3B	4AB	6B	9R	8AB	9B	9F	11	17	20	22 T	22	42	55 R	HTS	357P	RPG	45P	38P	
CHECK SEAL SEALANT #'s																				
SODIUM SILICATE	X	X	X	X	X	X	X	X	X		X	X	X	X	X	X	X	X	X	X
SODIUM SULFATE	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
SODIUM SULFITE	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
SOLVENT	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
SOOT	X	X	X	X		X	X	X	X		X	X			X	X	X	X	X	X
SORBIC ACID											X	X								
STEAM	X	X	X	X	X	X	X	X	X		X	X	X	X	X	X	X	X	X	X
STODDARD SOLVENT	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
STYRENE (MONOMER)	X	X	X	X		X	X	X	X		X	X			X		X	X	X	X
SULFIDES	X	X	X					X	X		X	X			X		X	X	X	X
SULFUR	X	X	X	X		X	X	X	X		X	X			X		X	X	X	X
SULFUR CHLORIDE	X	X	X					X	X		X	X			X		X	X	X	X
SULFUR DIOXIDE	X	X	X					X	X		X	X			X		X	X	X	X
SULFUR HEXAFLORIDE	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
SULFUR TRIOXIDE	X	X	X					X	X		X	X			X				X	X
SULFURIC ACID	X	X	X	X		X	X	X	X		X	X			X				X	X
SULFUROUS ACID	X	X	X	X	X	X	X	X	X		X	X	X	X	X				X	X
SULFUROUS ACID ANHYDRIDE			X								X	X			X				X	X
SUVA REFRIGERANT	X	X		X	X	X	X	X	X	X	X	X	X	X			X	X		
SYN GAS	X	X	X	X		X	X	X	X		X	X			X	X	X	X	X	X
TAIL GAS	X	X	X	X		X	X	X	X		X	X			X	X	X	X	X	X
TANNIC ACID	X	X	X	X	X	X	X	X	X		X	X	X	X	X	X	X	X	X	X
TAR LIQUID	X	X	X	X	X	X	X	X	X		X	X	X	X	X	X	X	X	X	X
TBA	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
TBA	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
TDI	X	X	X					X	X		X	X			X		X	X	X	X
TETRAETHYL LEAD	X	X	X		X			X	X				X	X	X	X	X	X	X	X
TETRALIN		X	X						X		X	X			X		X	X	X	X
THERMINOL		X	X	X		X	X	X	X						X		X	X	X	X
TITANIUM TETRACHLORIDE	X	X	X		X			X	X		X	X	X	X	X		X	X	X	X
TOLUENE		X	X	X		X	X	X	X	X	X	X			X	X	X	X	X	X

Temperature Ranges are in Fahrenheit	-300° to 700°	-300° to 550°	-300° to 800°	-300° to 700°	-300° to 450°	-300° to 800°	-300° to 1500°	-300° to 500°	-300° to 600°	-300° to 275°	-300° to 400°	-300° to 400°	40° to 300°	-300° to 450°	-300° to 700°	-300° to 750°	-300° to 1200°	-300° to 400°	-300° to 500°	
	3B	4AB	6B	9R	8AB	9B	9F	11	17	20	22 T	22	42	55 R	HTS	357P	RPG	45P	38P	
CHECK SEAL SEALANT #'s																				
TOLUENE4SULFONICACIDMONOHYDRATE		X	X	X		X	X	X							X			X	X	
TRANSFORMER OIL	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
TRICHLORACETIC ACID	X	X	X		X			X	X		X	X	X	X	X		X	X	X	
TRICHLORETHANE		X	X					X	X						X		X	X	X	
TRICHLOROETHYLENE		X	X					X	X		X	X			X		X	X	X	
TRIETHYLAMINE	X	X	X	X		X	X	X	X		X	X			X	X	X	X	X	
TRIMETHYLAMINE	X	X	X	X		X	X	X	X		X	X			X	X	X	X	X	
TRISODIUM PHOSPHATE	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
UREA (GAS)	X	X	X	X		X	X	X	X		X	X			X		X	X	X	
UREA CRYSTALS	X	X	X	X		X	X	X	X		X	X			X		X	X	X	
VANADIUM OXYTRICHLORIDE	X	X						X	X									X		
VINYL ACETATE	X	X	X	X		X	X	X	X		X	X			X		X	X	X	
VINYL CHLORIDE		X						X			X	X					X	X		
VINYL CHLORIDE MONOMER		X	X	X		X	X	X	X		X	X			X		X	X	X	
VYNYL CHLORIDE	X	X	X	X		X	X	X	X						X	X	X	X	X	
WATER	X	X	X	X	X	X	X	X	X		X	X	X	X	X		X	X	X	
WATER GAS	X	X	X	X		X	X	X	X		X	X			X	X	X	X	X	
WATER GLASS	X	X	X	X		X	X	X	X		X	X			X	X	X	X	X	
WHITE LIQUOR			X								X	X			X		X	X	X	
WOOD ALCOHOL	X	X	X	X		X	X	X	X		X	X			X		X	X	X	
Y-BUTYROLACTONE	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
ZINC ACETATE	X	X	X	X	X	X	X	X	X		X	X	X	X	X	X	X	X	X	
ZINC CHLORIDE	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
ZINC OXIDE	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
ZINC SULFATE	X	X	X	X	X	X	X	X	X		X	X	X	X	X	X	X	X	X	

IMPORTANT NOTE: All product usage and recommendation on this website are based upon laboratory tests, our experiences as well as customer feedback. Results can differ in every situation and product usage should be based on a professional technicians experience and expertise. Conditions of use are out of the control of South Coast Products LP and therefore the company assumes no liability for any damage or injury caused by products beyond the price of the product. Product suitability is solely the responsibility of the purchaser. Any modification of the products will fully void all warranties.

Products sold by South Coast Products, LP, are to be used only by trained, professional technicians. (See end note for important information.)

Temperature Ranges are in Fahrenheit	<i>-300° to 700°</i>	<i>-300° to 550°</i>	<i>-300° to 800°</i>	<i>-300° to 700°</i>	<i>-300° to 450°</i>	<i>-300° to 800°</i>	<i>-300° to 1500</i>	<i>-300° to 500°</i>	<i>-300° to 600°</i>	<i>-300° to 275°</i>	<i>-300° to 400°</i>	<i>-300° to 400°</i>	<i>40° to 300°</i>	<i>-300° to 450°</i>	<i>-300° to 700°</i>	<i>-300° to 750°</i>	<i>-300° to 1200</i>	<i>-300° to 400°</i>	<i>-300° to 500°</i>
CHECK SEAL SEALANT #'s	3B	4AB	6B	9R	8AB	9B	9F	11	17	20	22 T	22	42	55 R	HTS	357P	RPG	45P	38P